



RMRM129,800* *OTR price without insurance

| Dag | ara | ma a i | O HO |
|-----|---------|--------|------|
| | | | |

| Vehicle Type | Battery Electric Vehicle (BEV) |
|---------------------------------------|--------------------------------|
| Length (mm) | 4406 |
| Width (mm) | 1910 |
| Height (mm) | 1715 |
| Wheelbase (mm) | 2715 |
| Minimum Ground Clearance (mm) Laden | 170 |
| Minimum Ground Clearance (mm) Unladen | 195 |
| Water Wading (mm) | 450 |
| Turning Radius (m) | 5.7 |
| Approach Angle (°) Unladen | 28 |
| Departure Angle (°) Unladen | 32 |
| Maximum Gradeability (%) | 55 |
| Kerb Weight (kg) | 1874 |
| Gross Weight (kg) | 2254 |
| Rear Boot Capacity (L) - 5 Seater | 450 |
| Rear Boot Capacity (L) - 2 Seater | 1,238 |
| Rear Box Capacity (L) | 40 |

| Powertrain | Electric Drive System |
|-----------------------------|-----------------------------|
| Drivetrain | Intelligent All Wheel Drive |
| Motor Type | Permanent Magnet |
| | Synchronous Motor |
| Drive Motor | Dual Motor |
| Driving Modes | 10 |
| Front Motor Max Power (kW) | 70 |
| Front Motor Max Power (PS) | 95 |
| Front Motor Max Power (hp) | 94 |
| Front Motor Max Torque (Nm) | 165 |
| Rear Motor Max Power (kW) | 135 |
| Rear Motor Max Power (PS) | 184 |
| Rear Motor Max Power (hp) | 181 |
| Rear Motor Max Torque (Nm) | 220 |
| Max Power (kW) | 205 |
| Max Power (PS) | 279 |
| Max Power (hp) | 275 |
| Max Torque (Nm) | 385 |
| 0-100km/h (sec) | 6.5 |
| Max Speed (km/h) | 150 |
| | |

| Max Speed (killy ll) | 150 |
|--|-----------------|
| Safety & Security | |
| Front Airbags (Driver and Front Passenger) | • |
| Front Side Airbags | • |
| (Driver and Front Passenger) | |
| Side Curtain Airbags (Front and Rear) | |
| Front Pre-tensioner Seat Belts Rear SOF X Child Seat Mounting Points | |
| Around View Monitor (AVM) | 540° 3D Full HD |
| Driving Video Recorder (DVR) | 360° Full HD |
| Electronic Stability Control (ESC) | • |
| /Vehicle Dynamic Control (VDC) | |
| Hill Descent Control (HDC) | • |
| Hill Hold Control (HHC) | • |
| Comfort Stop Technology (CST) | • |
| Co-operative Regenerative | • |
| Braking System (CRBS) | |
| Anti-lock Braking System (ABS) | • |
| Electric Parking Brake | • |
| (EPB) with Auto Hold | |
| Emergency Brake Assist (EBA) /Brake Assist System (BAS) | • |
| Brake Override System (BOS) | • |
| Electronic Brakeforce Distribution (EBD) | • |
| Traction Control System (TCS) | • |
| Tyre Pressure Monitoring System (TPMS) | • |
| Advanced Driver | 13 |
| Assistance Systems (ADAS) | |
| Autonomous Emergency Braking (AEB) | • |
| Adaptive Cruise Control (ACC) | • |
| Blind Spot Detection (BSD) | • |
| Door Opening Warning (DOW) | • |
| Driver Attention Indicator (DAI) | • |
| Emergency Lane Keeping (ELK) | |
| Front Collision Warning (FCW) Lane Departure Warning (LDW) | • |
| Lane Departure Warning (LDW) Lane Departure Prevention (LDP) | • |
| Lane Change Warning (LCW) | • |
| Rear Collision Warning (RCW) | • |
| Rear Cross Traffic Alert (RCTA) | • |
| Traffic Jam Assist (TJA) | • |
| Parking Sensors (Front) | 4 |
| Parking Sensors (Rear) | 4 |
| . , | |

| Body Structure (Internal) | Aluminium Monocoque |
|---------------------------|---------------------|
| Suspension (Front) | MacPherson Strut |
| Suspension (Rear) | H-arm Multilink |
| Brake (Front) | Ventilated Disc |
| Brake (Rear) | Solid Disc |
| Tyre Size | R19 225/55 |
| | |

ttery & Charging

| Battery Type | Lithium Iron Phosphate (LFP) |
|-------------------------|------------------------------|
| Battery Capacity (kWh) | 69.8 |
| Driving Range NEDC (km) | 418 |
| Charging Max DC (kW) | 80 |
| Charging Max AC (kW) | 6.6 |
| Vehicle-to-Load (V2L) | • |
| Regenerative Braking | • |

| LED Headlamps | • |
|---|---|
| Adaptive High Beam Light | • |
| Daytime Running Light (DRL) | • |
| Roof Rails | • |
| Panoramic Sunroof with Sunshade | • |
| Retractable Door Handles | • |
| Electrically Adjustable and Heated Side External Mirrors | • |
| One Touch Anti Pinch Power Windows | • |
| Acoustic Front Window Glass | • |
| Automatic Rain Sensing Windscreen Wiper | • |
| Rear Wiper | • |
| Rear Fog Lights | • |
| Soft Closing Rear Boot | • |
| | |

Interior

| 9.2 inch Instrument Cluster • |
|--|
| 15.6 inch Full HD Touchscreen Media Display |
| Column Mounted Gear Selector |
| Multifunction Steering Wheel in Faux Leather |
| Auto Dimming Rear View Mirror |
| Faux Leather Seats • |
| Driver Electric Seat • |
| Driver Lumbar Support • |
| Driver Welcome Seat • |
| Driver Memory Seat • |
| Driver One-Touch Flat Seat Function • |
| Front Passenger Electric Seat • |
| Centre Console with Air Vents |
| Atmosphere Rhytmic Ambient Lighting • |
| Front Sunvisor Vanity Mirror with Illumination |
| Front Centre Dual Cup Holders |
| Rear Centre Hidden Armrest with Dual Cup Holders |

Comfort & Convenience

| Remote Air Conditioning | • |
|--|---|
| Keyless Entry and Start | • |
| Walk-Away Auto Lock | • |
| Near Field Communication (NFC) Smart Key Card | • |
| Electronic Door Release (Front & Rear) | 4 |
| Front Massage Seats | • |
| Ventilated Seats (Front & Rear) | 4 |
| Rear Air Conditioning | • |
| 50W Wireless Mobile Device Charging with Air Vents | • |
| 12 INFINITY® Speakers | • |
| Intelligent Voice Assistant (Front & Rear) | • |
| Wireless Apple CarPlay® & Android Auto™ Mobile Connectivity | • |
| Front USB Port Type A & Type C | • |
| Rear USB Port Type A & Type C | • |
| Car Linko Smartphone App *Subject to Car Linko App Launch | • |
| Tool Kit | • |
| Tyre Repair Kit | • |

^{*}iCAUR Auto Malaysia Sdn Bhd reserves the right to update the specifications without prior notice. The illustrations may show accessories and optional extras which are not part of standard specifications.



| Basic Parameters | |
|---------------------------------------|--------------------------------|
| Vehicle Type | Battery Electric Vehicle (BEV) |
| Length (mm) | 4,406 |
| Width (mm) | 1,910 |
| Height (mm) | 1,715 |
| Wheelbase (mm) | 2,715 |
| Minimum Ground Clearance (mm) Laden | 170 |
| Minimum Ground Clearance (mm) Unladen | 195 |
| Water Wading (mm) | 450 |
| Turning Radius (m) | 5.7 |
| Approach Angle (°) Unladen | 28 |
| Departure Angle (°) Unladen | 32 |
| Maximum Gradeability (%) | 30 |
| Kerb Weight (kg) | 1,775 |
| Gross Weight (kg) | 2,150 |
| Rear Boot Capacity (L) - 5 Seater | 450 |
| Rear Boot Capacity (L) - 2 Seater | 1,238 |
| Rear Box Capacity (L) | 40 |

| Performance | |
|----------------------------|---------------------------------------|
| Powertrain | Electric Drive System |
| Drivetrain | Rear Wheel Drive (RWD) |
| Motor Type | Permanent Magnet Synchronous Motor |
| Drive Motor | Single Motor |
| Driving Modes | 5 |
| Rear Motor Max Power (kW) | 135 |
| Rear Motor Max Power (PS) | 184 |
| Rear Motor Max Power (hp) | 181 |
| Rear Motor Max Torque (Nm) | 220 |
| 0-100km/h (sec) | 10.5 |
| Max Speed (km/h) | 150 |

| Max Speed (km/h) | 150 |
|---|-------------------------------------|
| Safety & Security | |
| Front Airbags (Driver and Front Passenger) Front Side Airbags (Driver and Front Passenger) Side Curtain Airbags (Front and Rear) Front Pre-tensioner Seat Belts Rear ISOFIX Child Seat Mounting Points Around View Monitor (AVM) Driving Video Recorder (DVR) Electronic Stability Control (ESC) /Vehicle Dynamic Control (VDC) Hill Descent Control (HDC) Hill Hold Control (HHC) Comfort Stop Technology (CST) Co-operative Regenerative Braking System (CRBS) Anti-lock Braking System (ABS) Electric Parking Brake (EPB) with Auto Hold Emergency Brake Assist (EBA) /Brake Assist System (BAS) Brake Override System (BOS) Electronic Brakeforce Distribution (EBD) Traction Control System (TCS) Tyre Pressure Monitoring System (TPMS) Advanced Driver Assistance Systems (ADAS) | 540° 3D Full HD 360° Full HD |
| Autonomous Emergency Braking (AEB) Adaptive Cruise Control (ACC) Blind Spot Detection (BSD) Door Opening Warning (DOW) Driver Attention Indicator (DAI) Emergency Lane Keeping (ELK) | • |
| Front Collision Warning (FCW) Lane Departure Warning (LDW) Lane Departure Prevention (LDP) | • |

| Chassis | | | | |
|---------------------------|---------------------|--|--|--|
| Body Structure (Internal) | Aluminium Monocoque | | | |
| Suspension (Front) | MacPherson Strut | | | |
| Suspension (Rear) | H-arm Multilink | | | |
| Brake (Front) | Ventilated Disc | | | |
| Brake (Rear) | Solid Disc | | | |
| Tyre Size | R18 225/60 | | | |

| Battery & Charging | | | |
|-------------------------|------------------------------|--|--|
| Battery Type | Lithium Iron Phosphate (LFP) | | |
| Battery Capacity (kWh) | 65.7 | | |
| Driving Range NEDC (km) | 426 | | |
| Charging Max DC (kW) | 80 | | |
| Charging Max AC (kW) | 6.6 | | |
| Vehicle-to-Load (V2L) | • | | |
| Regenerative Braking | • | | |
| | | | |

| LED Headlamps Adaptive High Beam Light Daytime Running Light (DRL) Roof Rails Panoramic Sunroof with Sunshade Retractable Door Handles Electrically Adjustable and Heated Side External Mirrors | • |
|---|---|
| One Touch Anti Pinch Power Windows | • |
| Acoustic Front Window Glass Automatic Rain Sensing Windscreen Wiper Rear Wiper | |
| Rear Fog Lights Soft Closing Rear Boot | • |
| | |

| | Interior | |
|---|---|---|
| - | 9.2 inch Instrument Cluster | • |
| | 15.6 inch Full HD Touchscreen Media Display | • |
| | Column Mounted Gear Selector | • |
| | Multifunction Steering Wheel in Faux Leather | • |
| Ī | Auto Dimming Rear View Mirror | • |
| | Faux Leather Seats | • |
| | Driver Electric Seat | • |
| | Driver Lumbar Support | • |
| | Driver Welcome Seat | • |
| - | Driver Memory Seat | • |
| | Driver One-Touch Flat Seat Function | • |
| | Front Passenger Electric Seat | • |
| | Centre Console with Air Vents | • |
| | Atmosphere Rhytmic Ambient Lighting | • |
| - | Front Sunvisor Vanity | • |
| | Mirror with Illumination | |
| | Front Centre Dual Cup Holders | • |
| | Rear Centre Hidden Armrest with Dual Cup Holders | • |

| Comfort & Convenience | |
|--|---|
| Remote Air Conditioning | • |
| Keyless Entry and Start | • |
| Walk-Away Auto Lock | • |
| Near Field Communication (NFC) Smart Key Card | • |
| Electronic Door Release (Front & Rear) | 4 |
| Front Massage Seats | 0 |
| Ventilated Seats (Front & Rear) | 4 |
| Rear Air Conditioning | • |
| 50W Wireless Mobile Device Charging with Air Vents | • |
| 8 Speakers | • |
| Intelligent Voice Assistant (Front & Rear) | • |
| Wireless Apple CarPlay® & Android Auto™ Mobile Connectivity | • |
| Front USB Port Type A & Type C | • |
| Rear USB Port Type A & Type C | • |
| Car Linko Smartphone App *Subject to Car Linko App Launch | • |
| Tool Kit | • |
| Tyre Repair Kit | • |

Lane Change Warning (LCW)

Rear Collision Warning (RCW)
Rear Cross Traffic Alert (RCTA)
Traffic Jam Assist (TJA)
Parking Sensors (Front)
Parking Sensors (Rear)

*iCAUR Auto Malaysia Sdn Bhd reserves the right to update the specifications without prior notice. The illustrations may show accessories and optional extras which are not part of standard specifications.

ENNOVATION



ELECTRIC MOTOR


6 in 1 high performance drive system



ALUMINIUM UNIBODY

Built stronger, lighter with anti corrosion protection





LITHIUM IRON PHOSPHATE (LFP)

Battery with built-in armour design for extra protection



H-ARM MULTILINK

Rear suspension for precise handling and superior comfort

ENTELLIGENCE

ALL WHEEL DRIVE
ALLROAD CONDITIONS
10 DRIVING MODES


ENTERACTION



360° Driving Video Recorder (DVR)



Near Field Communication (NFC) Smart Key Card



540° Around View Monitor (AVM)



Intelligent Voice Assistant (Front & Rear)

PREMIUM EXPERIENCE



Ventilated Seats (Front & Rear)



Front Massage Seats



Stowable Rear Seats



Electronic Door Release (Front & Rear)



Rear Storage Box (40L)



12 INFINITY® Speakers

MAKE IT YOURS









